

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

l Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint
- · Article number: SDS 14-120.02R01, 13509, 13565, 14543
- · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Teeth Whitening Gel
- · Application of the substance / the mixture Professional Dental Teeth Whitening Gel
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA): (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 1)

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 56-81-5 EINECS: 200-289-5	Glycerin substance with a Community workplace exposure limit	<40%	
CAS: 124-43-6 EINECS: 204-701-4	Carbamide Peroxide ♦ Ox. Sol. 3, H272; ♦ Skin Corr. 1B, H314	>10-≤25%	
CAS: 1310-73-2 EINECS: 215-185-5	Sodium Hydroxide Skin Corr. 1A, H314	≥1-<5%	
CAS: 8006-90-4 EINECS: 282-015-4	Oils, Peppermint Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0.25-<1%	
CAS: 7681-49-4 EINECS: 231-667-8	Sodium Fluoride ♠ Acute Tox. 3, H301; Acute Tox. 2, H310; ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319, EUH032	<10%	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed in large quantities seek medical attention.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional Dental Teeth Whitening Gel

8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerin

WEL Long-term value: 10 mg/m³

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m³

(Contd. on page 4)

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless
Product specific
Not determined.
Undetermined.

Boiling point or initial boiling point and boiling range Undetermined.

Flammability

Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

(Contd. on page 5)

Revision: 01.10.2024 Printing date 01.10.2024 Version number 1

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

	(Contd. of pag
pH at 20 °C	5.3-7.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Partly soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Other information	
Appearance:	
Form:	Gel
Important information on protection of health a	und
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	•
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ses
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

10 Stability and reactivity

- · Reactivity Stable
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Excess heat
- · Incompatible materials:

Strong Alkalis

Metals

(Contd. on page 6)

Revision: 01.10.2024 Printing date 01.10.2024 Version number 1

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Harmful if inhaled.

	xicity Harmful if inhaled.	
	0 values relevant for classifica	ation:
ATE (A	cute Toxicity Estimates)	
Oral	LD50	20,800 mg/kg
Dermal	LD50	70,000 mg/kg
<i>56-81-5</i>	Glycerin	
Oral	LD50	7,750 mg/kg (Guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
124-43-	6 Carbamide Peroxide	
Oral	LD50	>2,000 mg/kg (rat)
1310-73	-2 Sodium Hydroxide	
Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)
8006-90	-4 Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
7681-49	-4 Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Information on other hazards

· Endo	crine	disr	upting	pro	peri	ties	
3.7	0.1		4.		4.	-	

None of the ingredients is listed.

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 6)

12 Ecological information

· Toxicity

· Aquatic toxicity:			
56-81-5 Glycerin			
EC50	>10,000 mg/kg (Bacteria)		
1310-73-2 Sodium Hy	1310-73-2 Sodium Hydroxide		
EC50	40.38 mg/kg (Water Flea)		
7681-49-4 Sodium Fluoride			
EC50	272 mg/kg (Algae)		
	272 mg/kg (Algae) 98 mg/kg (daphnia)		
Algae Toxicity (static)	7 mg/l (Algae)		

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Disposal should be in accordance with applicable regional, national and local laws and regulations. Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	

(Contd. on page 8)

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

		(Contd. of page 7)
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
· Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

7757-79-1 Potassium Nitrate Listed

· Reportable poisons

1310-73-2	Sodium Hydroxide	12% of total caustic alkalinity
7681-49-4	Sodium Fluoride	Listed

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

The 10-16% products meet the toxicological profile required for cosmetics per the EU cosmetic regulation, Regulation (EC) No. 1223/2009.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

- H272 May intensify fire; oxidiser.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- EUH032 Contact with acids liberates very toxic gas.
- · Department issuing SDS: Environmental, Health, and Safety

(Contd. on page 9)

Printing date 01.10.2024 Version number 1 Revision: 01.10.2024

Trade name: Invisalign Professional Whitening System Powered by Opalescence PF 10% Mint

(Contd. of page 8)

· Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Ox. Sol. 3: Oxidizing solids - Category 3

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* * Data compared to the previous version altered.

GB