

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic
- · Article number: SDS 482-001.02R01, 1011044, 1011573, 5527
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Pre-filled Tooth Whitening Treatment
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Office Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 1)

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 56-81-5	Glycerin	>30-<50%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7722-84-1	Hydrogen Peroxide	>7-≤11%
EINECS: 231-765-0	Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332	
	Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 %	
	Ox. Liq. 2; H272: $50 \% \le C < 70 \%$	
	Skin Corr. 1A; H314: C≥ 70 %	
	Skin Corr. 1B; H314: 50 % ≤ C < 70 %	
	Skin Irrit. 2; H315: 35 % ≤ C < 50 %	
	Eye Dam. 1; H318: C≥8 %	
	<i>Eye Irrit. 2; H319: 5 % ≤ C < 8 %</i>	
	STOT SE 3; H335: C ≥ 35 %	
CAS: 1310-58-3	Potassium Hydroxide	>0.1-<5%
EINECS: 215-181-3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Specific concentration limits: Skin Corr. 1A; H314: C≥5 %	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	<i>Eye Irrit. 2; H319: 0.5 %</i> ≤ <i>C</i> < 2 <i>%</i>	
CAS: 7758-11-4	Dipotassium Phosphate	>0.1-<5%
EINECS: 231-834-5	♦ Acute Tox. 3, H331	
CAS: 8006-90-4	Oils, Peppermint	<1%
EINECS: 282-015-4	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: See product labeling.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerin

WEL Long-term value: 10 mg/m³

7722-84-1 Hydrogen Peroxide

WEL Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

1310-58-3 Potassium Hydroxide

WEL Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Solid

· Colour: White Opaque

· Odour: Mint

• Odour threshold: Not determined.
• Melting point/freezing point: Undetermined.
• Boiling point or initial boiling point and boiling range Undetermined.

Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

• pH at 20 °C 5-7

· Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

(Contd. on page 5)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 4)

ly miscible.
determined.
applicable.
g/cm³
determined.
applicable.
luct is not selfigniting.
1 . 1
luct does not present an explosion hazard.
fuct does not present an explosion hazard.
applicable.
•
•
applicable.
applicable.
applicable.
applicable.

Void

Void

Void

· Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Flammable solids

· Pyrophoric liquids

· Self-reactive substances and mixtures

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

o.p.

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 5)

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	values relev	ant for classification:
ATE (Acut	te Toxicity I	Estimates)
Oral	LD50	2,990 mg/kg
Inhalative	LC50/4 h	>63.8 mg/l
56-81-5 GI	lycerin	
Oral	LD50	7,750 mg/kg (guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.1425 mg/l (rat)
7722-84-1	Hydrogen l	Peroxide
Oral	LC50 Fish	16.4 mg/l (Fish)
1310-58-3	Potassium .	Hydroxide
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7758-11-4	Dipotassiui	m Phosphate
Oral	LD50	4,260-5,700 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.83 mg/l (rat)
8006-90-4	Oils, Peppe	ermint
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

56-81-5 Glycerin

EC50 >10,000 mg/kg (Bacteria)

(Contd. on page 7)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 6)

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae) 2.4 mg/l (daphnia)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
UN "Model Regulation":	not regulated	

GB

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Poisons Act
- · Regulated explosives precursors

7722-84-1 Hydrogen Peroxide

12%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1310-58-3 Potassium Hydroxide

17% of total caustic alkalinity

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

(Contd. on page 9)

Printing date 28.03.2025 Version number 1 Revision: 28.03.2025

Trade name: OpalTM by OpalescenceTM Prefilled Whitening Trays Classic

(Contd. of page 8)

ATE: Acute toxicity estimate values

Ox. Liq. 1: Oxidizing liquids - Category 1

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.