

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

1 Identification of the substance/mixture and of the company/undertaking · Product identifier • Trade name: OpalTM by OpalescenceTM 35% Mint · Article number: SDS 500-001.02R01, 1007932, 5773-US, 14448, 14934, 15289 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@ultradent.com EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany *Email: infoDE@ultradent.com* Office Phone: +49(0)2203-35-92-0 · Further information obtainable from: Customer Service • Emergency telephone number: CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300 (INTERNATIONAL): +(703) 527-3887 2 Hazards identification · Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. · Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Wash thoroughly after handling. P264 P280 *Wear protective gloves / eye protection / face protection.* (Contd. on page 2) GB

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: OpalTM by OpalescenceTM 35% Mint

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

3 Composition/information on ingredients

• Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 56-81-5 EINECS: 200-289-5	<i>Glycerin</i> substance with a Community workplace exposure limit	>20-<40%
CAS: 124-43-6 EINECS: 204-701-4	Carbamide Peroxide Ox. Sol. 3, H272; 📀 Skin Corr. 1B, H314	>10-<30%
CAS: 7722-84-1 EINECS: 231-765-0	Hydrogen Peroxide	>1-<7%
CAS: 1310-73-2 EINECS: 215-185-5	Sodium Hydroxide Skin Corr. 1A, H314	>0.1-<5%
CAS: 8006-90-4 EINECS: 282-015-4	Oils, Peppermint ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	1

4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- This product is a viscous gel, therefore chance of inhalation is extremely low.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: OpalTM by OpalescenceTM 35% Mint

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters:
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- *Environmental precautions: Dilute with plenty of water.*
- Difute with pienty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• *Precautions for safe handling:* No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerin

WEL Long-term value: 10 mg/m³

7722-84-1 Hydrogen Peroxide

WEL Short-term value: 2.8 mg/m³, 2 ppm

Long-term value: 1.4 mg/m³, 1 ppm

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

GB

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: OpalTM by OpalescenceTM 35% Mint

(Contd. of page 3) · Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles · **Body protection:** Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemic General Information	···· ··· ·····························	
	F1 : 1	
Physical state	Fluid	
Colour:	Clear	
Odour:	Mint	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and b	oiling range Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH at 20 °C	5-7	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	

- GB

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: Opal[™] by Opalescence[™] 35% Mint

	(Contd. of page	
Solubility		
water:	Partly soluble.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	$1.2-1.3 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Other information		
Appearance:		
Form:	Gel	
Important information on protection of health a	und	
environment, and on safety.		
· Ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
· Change in condition	· ·	
· Evaporation rate	Not determined.	
· Information with regard to physical hazard classes		
• Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable ga	ises	
in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

10 Stability and reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

GB

[·] Chemical stability

Revision: 31.03.2025

Trade name: OpalTM by OpalescenceTM 35% Mint

(Contd. of page 5)

GB

(Contd. on page 7)

	values relevant for classification	he classification criteria are not met.
	te Toxicity Estimates)	
Oral	LD50	9,091 mg/kg
Inhalative	LC50/4 h	200 mg/l
56-81-5 G	lvcerin	
Oral	LD50	7,750 mg/kg (guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
124-43-6	Carbamide Peroxide	
Oral	LD50	>2,000 mg/kg (rat)
7722-84-1	Hydrogen Peroxide	
Oral	LC50 Fish	16.4 mg/l (Fish)
1310-73-2	2 Sodium Hydroxide	•
Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)
8006-90-4	Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
Skin corra Serious ey Germ cell Carcinoge Hydogen classifiabl Reproduc STOT-sin STOT-rep Aspiration	enicity Peroxide & Polyacrylic Acia le as to its carcinogenicity to hu tive toxicity Does not meet the gle exposure Does not meet the peated exposure Does not meet	rious eye irritation. e classification criteria for this hazard class. I are listed on the IARC Group 3 carcinogens. These items are a

Version number 1

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: Opal[™] by Opalescence[™] 35% Mint

(Contd. of page 6)

12 Ecological	l informati	ion
---------------	-------------	-----

· Toxicity

• Aquatic toxicity:

56-81-5 Glycerin

EC50 >10,000 mg/kg (Bacteria)

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

1310-73-2 Sodium Hydroxide

EC50 40.38 mg/kg (Water Flea)

• *Persistence and degradability* No further relevant information available.

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

· Uncleaned packaging:

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· UN number or ID number		
· ADR, IMDG, IATA	not regulated	
· UN proper shipping name		
· ADR, ÎMDG, ÎATĂ	not regulated	
· Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	not regulated	
· ADN/R Class:	Not Regulated	
· Packing group		
· ADR, IMDG, IATA	not regulated	

12%

12% of total caustic alkalinity

Safety data sheet according to UK REACH

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

Trade name: OpalTM by OpalescenceTM 35% Mint

		(Contd. of page 7)
Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
· Maritime transport in bulk according to IMO		
instruments	Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Poisons Act

• Regulated explosives precursors7722-84-1Hydrogen Peroxide

· Regulated poisons

None of the ingredients is listed. • Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1310-73-2 Sodium Hydroxide

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases from Section 3
H271 May cause fire or explosion; strong oxidiser.
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

· Contact: Customer Service

(Contd. on page 9)

GB

Printing date 31.03.2025

Version number 1

Revision: 31.03.2025

(Contd. of page 8)

Trade name: OpalTM by OpalescenceTM 35% Mint

· Abbreviations	and acronvms:	
10010700000	unu ucronyms.	

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety ATE: Acute toxicity estimate values Ox. Liq. 1: Oxidizing liquids – Category 1 Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • * Data compared to the previous version altered. GB